

# Portfolio Management

Pierre Brugière

University Paris 9 Dauphine

*pierre.brugiere@dauphine.fr*

December 20, 2020

# Overview

- 1 Laws of Returns of Financial Assets
- 2 Further Statistical Tests
- 3 Utility Functions
- 4 Markowitz: The mean variance framework
- 5 Markowitz: Optimization without a risk-free asset
- 6 Markowitz: Optimization with a risk-free asset
- 7 Security Market Line
- 8 Performance Indicators
- 9 Factor Models
- 10 Principal Components Analysis

## Laws of Returns of Financial Assets

# Returns and Rate of Returns

- Return of an investment:  $R_T = \frac{W_T}{W_0} - 1$  (initial wealth  $W_0$ )
- Return of an (investment in an) asset  $P_t$ :  $R_T = \frac{P_T + \text{Div}(0, T)}{P_0} - 1$
- Different ways to define a rate of return:
  - monetary rate:  $1 + r \times T = 1 + R_T$
  - actuarial rate:  $(1 + r)^T = 1 + R_T$
  - exponential rate:  $\exp(r \times T) = 1 + R_T$
- Different ways to define  $T$ : 30/360, Act/360, Act/Act, Act/365
- For modelization, exponential rates make calculations simpler:
  - simplicity to compound interests:  $\exp(rT_1)\exp(rT_2) = \exp(r(T_1 + T_2))$
  - well suited for modelization in continuous time  
$$dP_t = rP_t dt \implies P_T = P_0 e^{rT}$$
  - enable to conserve the property of normality when assuming the independence of the returns:  
$$r(0, T_1 + T_2) = \frac{1}{T_1 + T_2} (T_1 r(0, T_1) + T_2 r(T_1, T_1 + T_2))$$

- **Probabilist** definitions for a r.v  $X$ 
  - Expectation:  $E[X]$
  - Variance:  $Var[X] = E[X^2] - E[X]^2$
  - Standard deviation:  $\sigma[X] = \sqrt{Var[X]}$
  - Skew:  $Skew[X] = E \left[ \left( \frac{X - E(X)}{\sigma(X)} \right)^3 \right]$
  - Kurtosis:  $Kur[X] = E \left[ \left( \frac{X - E(X)}{\sigma(X)} \right)^4 \right]$  (some authors subtract 3 in the definition, others call this new quantity the excess kurtosis)

- **Empirical** definitions for a sample  $x = (x_1, x_2, \dots, x_n)$ 
  - Sample Mean:  $\bar{x} = \hat{E}(x) = \frac{1}{n} \sum_{i=1}^{i=n} x_i$
  - Sample Variance :  $\widehat{Var}(x) = \frac{1}{n} \sum_{i=1}^{i=n} (x_i - \bar{x})^2$
  - Sample Standard Deviation:  $\hat{\sigma}(x) = \sqrt{\widehat{Var}(x)}$
  - Sample Skew:  $\widehat{Skew}(x) = \frac{1}{n} \sum_{i=1}^{i=n} \left(\frac{x_i - \bar{x}}{\hat{\sigma}(x)}\right)^3$
  - Sample Kurtosis:  $\widehat{Kur}(x) = \frac{1}{n} \sum_{i=1}^{i=n} \left(\frac{x_i - \bar{x}}{\hat{\sigma}(x)}\right)^4$
- **Remark:** the empirical quantities can be obtained from the probabilist definitions by taking  $P(X_i = x_i) = \frac{1}{n}$  instead of  $P_X$  in the expectations, and therefore can be called "plug-in" estimators.

- **Properties** skewness:

- anti-symmetry:  $Skew(-X) = -Skew(X)$
- scale invariance: if  $\lambda > 0$ ,  $Skew(\lambda X) = Skew(X)$
- location invariance:  $\forall \lambda$ ,  $Skew(X + \lambda) = Skew(X)$
- for  $X \sim N(m, \sigma^2)$ ,  $Skew(X) = 0$

- **Properties** kurtosis:

- symmetry:  $Kur(-X) = Kur(X)$
- scale invariance: if  $\lambda \neq 0$ ,  $Kur(\lambda X) = Kur(X)$
- location invariance:  $\forall \lambda$ ,  $Kur(X + \lambda) = Kur(X)$
- for  $X \sim N(m, \sigma^2)$ ,  $Kur(X) = 3$

- **Definition:** if  $Kur(X) > 3$  the distribution is leptokurtic if  $Kur(X) < 3$  the distribution is platykurtic

**Remark:** (calculation trick): integration by parts proves that for any integer  $n > 0$

$$\int_{-\infty}^{+\infty} x^n e^{-\frac{x^2}{2}} dx = (n-1) \int_{-\infty}^{+\infty} x^{n-2} e^{-\frac{x^2}{2}} dx$$

- **Remark:** the properties above are true for the empirical quantities as well
- **Exercise:** demonstrate the properties above
- **Remark:** for a mixture of normal distributions we have kurtosis  $> 3$

## Theorem (admitted) and the Berra and Jarque test

Let  $X_1, X_2, \dots, X_n$  be i.i.d  $N(m, \sigma^2)$  and  $X = (X_1, X_2, \dots, X_n)$  then asymptotically:

- $\sqrt{n}\widehat{Skew}(X) \sim N(0, 6)$
- $\sqrt{n}[\widehat{Kur}(X) - 3] \sim N(0, 24)$


Let  $\widehat{BJ}(X) = \frac{n}{6}[\widehat{Skew}(X)]^2 + \frac{n}{24}[\widehat{Kur}(X) - 3]^2$  then asymptotically:

- $\widehat{BJ}(X) \approx \chi^2(2)$

Let  $\chi_{1-\alpha}^2(2)$  be such that  $P(\chi^2(2) > \chi_{1-\alpha}^2(2)) = 1 - \alpha$

Then for  $n$  large enough the Berra and Jarque test rejects at confidence level  $\alpha$  the normality hypothesis iff:  $\widehat{BJ}(x) > \chi_{1-\alpha}^2(2)$

# Goodness of Fit Tests



Remark: the DAX is a total return index, i.e it is calculated with dividends reinvested

**Exemple:** We calculate the daily log returns of the DAX for year 2015

- number of daily returns 260,  $x = (x_1, x_2, \dots, x_{260})$
- $\bar{x} = 0.02\%$ ,  $\hat{\sigma}(x) = 0.63\%$
- $\widehat{Skew}(x) = -0.15$ ,  $\widehat{Kur}(x) = 3.56$  (fat tails)
- $\widehat{BJ}(x) = 4.32$ ,  $\chi_{5\%}^2(2) = 5.99$

So we accept the normality hypothesis at confidence level 95%

**Remarks:** The Berra and Jarque's test is very sensitive to outliers.

Here,  $\frac{n}{6}[\widehat{Skew}(X)]^2 = 0.94$  and  $\frac{n}{24}[\widehat{Kur}(X) - 3]^2 = 3.38$

The volatility is defined as  $vol\sqrt{\Delta T} = \hat{\sigma}(x)$ . Here  $\Delta T = \frac{1}{260}$  as we have here 260 returns observed in a 1 year period, so the estimate of the volatility is 10%.

## Further Statistical Tests

## Theorem of Parzen Rosenblatt (admitted)

Let  $X$  be a random variable of density function  $f(x)$

Let  $X_i$  be i.i.d variables of the same law as  $X$

Let  $K$  be positive of integral 1 and  $(h_n)_{n \in \mathbb{N}}$  such that  $h_n \rightarrow 0$  and  $nh_n \rightarrow \infty$

Let  $f_n(x)$  be defined by  $f_n(x) = \frac{1}{n} \sum_{i=1}^n \frac{1}{h_n} K\left(\frac{X_i - x}{h_n}\right)$  then  $f_n(x)$  is a density


and  $\sqrt{nh_n}[f_n(x) - f(x)] \xrightarrow{\text{Law}} N\left(0, f(x) \int_{-\infty}^{+\infty} K^2(x) dx\right)$

## Exemples of Kernels

- Rectangular Kernel  $K(u) = \frac{1}{2} \mathbf{1}_{|u| < 1}$
- Gaussian Kernel  $K(u) = \frac{1}{\sqrt{2\pi}} \exp\left(-\frac{u^2}{2}\right)$

**Remark:** "visual test" where the estimated density is usually compared to the density of a normal distribution with the same mean and variance as the empirical mean and variance of the sample.

# Tests Based on Density Function Estimates



histogram for the 260 observations fitted into 10 buckets

# Tests Based on Cumulative Distribution Function Estimates

Let  $X$  and  $(X_i)_{i \in [1, n]}$  be i.i.d r.v with the same laws

Let  $F_n(x) = \frac{1}{n} \sum_{i=1}^n 1_{X_i \leq x}$  and  $\|F_n(x) - F(x)\|_\infty = \sup_x |F_n(x) - F(x)|$

## Law of Large Numbers and Central Limit Theorem

$\forall x, F_n(x) \rightarrow F(x)$  p.s and  $\sqrt{n}(F_n(x) - F(x)) \xrightarrow{Law} N(0, F(x)[1 - F(x)])$

## Glivenko Cantelli Theorem (admitted)

$\|F_n(x) - F(x)\|_\infty \rightarrow 0$  p.s (which is stronger than the Law of Large Numbers)

## Kolmogorov Smirnov Theorem (admitted)

$\sqrt{n}\|F_n(x) - F(x)\|_\infty \xrightarrow{Law} K$  when  $n$  is large  
 $K$  is the Kolmogorov's law and is independant from  $F$

# Tests Based on Cumulative Distribution Function Estimates

Several Goodness of fit tests are based on Kolmogorov Smirnov's theorem with  $F$  being a normal cdf with the same mean and variance as the sample observed. Amongst these tests (available in SAS and with excel extended libraries):

- Kolmogorov Smirnov's test
- Cramer von Mises's test
- Anderson Darling's test

**Remark:** The CLT result is not well adapted to test the normality hypothesis as it is not optimal to test an hypothesis based on the value of the empirical repartition function on one single point. The Kolmogorov Smirnov result is much more interesting for this matter.

## Theorem and Definition:

if  $Z$  is a random variable and if we note  $q_Z(\alpha) = \inf_x \{x, P(Z \leq x) \geq \alpha\}$  then  $P(Z \leq q_Z(\alpha)) \geq \alpha$  and  $q_Z(\alpha)$  is called the  $\alpha$ -quantile of  $Z$

**Remark 1:** if  $Z \sim N(0, 1)$ :  $q_Z(0.5) = 0$  and  $q_Z(97.5\%) = 1.96$

**Remark 2:** (definition derived for a sample via the empirical distribution) if  $z = (z_1, z_2, \dots, z_n)$  is a sample with frequency  $(f_1, f_2, \dots, f_n)$  the  $\alpha$  quantile of  $z$ ,  $\hat{q}_z(\alpha)$  is the quantile of the r.v  $Z$  defined by the empirical probability  $P(Z = z_i) = f_i$

**Remark 3:** if we have 10 observations:  $\{z_i = i\}_{i \in [1,10]}$  then  $\hat{q}_z(1) = 10$  and  $\forall i \in \{1, \dots, 9\} \forall \alpha \in ]\frac{i}{10}, \frac{i+1}{10}] \hat{q}_z(\alpha) = i + 1$

# Tests Based on Order Statistics

**Exercise 1:** Show that if  $F_Z$  is invertible then:  $q_Z(\alpha) = F_Z^{-1}(\alpha)$

**Exercise 2:** Show that if  $F_Z$  is invertible then:  $F_Z(Z) \sim U([0, 1])$

**Exercise 3:** Show that if  $Z_1 \sim N(m_1, \sigma_1^2)$  and  $Z_2 \sim N(m_2, \sigma_2^2)$  then:  $\{(q_{Z_1}(\alpha), q_{Z_2}(\alpha)), \alpha \in [0, 1]\}$  is a line.

## Theorem: order statistics (admitted) and QQ-Plot test

Let  $N \sim N(0, 1)$  and  $z(n) = (z_1, z_2, \dots, z_n)$  be a sample for the r.v  $Z$  we want to test. Then when  $n$  is large:

- $\hat{q}_{z(n)}(\frac{i}{n}) \approx q_Z(\frac{i}{n})$  and


if  $Z$  is a normal Law:

- The points  $(q_N(\frac{i}{n}), \hat{q}_{z(n)}(\frac{i}{n}))$  should be "concentrated" around a line (called the Henry's line)

# Tests Based on Order Statistics

**Remark 1:** The test can be used "visually" but can also be quantified through the Shapiro-Wilk test

**Example:** QQ plot DAX daily returns for 2015



## (Reminder) Definition

- if  $X \sim N(0, 1)$  then  $X^2 \sim \chi^2(1)$
- if  $X_i \sim N(0, 1)$  i.i.d then  $\sum_{i=1}^{i=n} X_i^2 \sim \chi^2(n)$

## (Reminder) Theorem and Definition

If  $X_1 \sim N(M_1, Id_{\mathbb{R}^d})$  and  $X_2 \sim N(M_2, Id_{\mathbb{R}^d})$  then:

$\|M_1\| = \|M_2\| \implies \|X_1\|^2$  and  $\|X_2\|^2$  have the same law and this law is called  $\chi^2(d, \|M_1\|^2)$

# Parameter Estimations and Confidence Intervals

demonstration:

$$\|M_1\| = \|M_2\| \implies \exists A \text{ orthonormal such that } AM_1 = M_2$$

Let's consider  $AX_1$  then:

- $X_1$  has a Normal law  $\implies AX_1$  has a Normal law
- $E[AX_1] = AE[X_1] = AM_1 = M_2$
- $Var[AX_1] = Cov(AX_1, AX_1) = ACov(X_1, X_1)A' = AId_{\mathbb{R}^d}A' = Id_{\mathbb{R}^d}$

so,  $AX_1$  and  $X_2$  are both normal with the same mean and variance

so,  $AX_1 \sim X_2$  and consequently  $\|AX_1\|^2 \sim \|X_2\|^2$ .

As  $\|AX_1\|^2 = \|X_1\|^2$  (because  $A$  is orthonormal) by transitivity

$\|X_1\|^2 \sim \|X_2\|^2$ . Q.E.D

**Exercise:** Show that  $Cov(AX, BY) = ACov(X, Y)B'$  (when  $A$  and  $B$  are matrices with the adequate dimensions) starting from the definition  $Cov(X, Y) = E(XY') - E(X)E(Y)'$

# Parameter Estimations and Confidence Intervals

## (Reminder) Definition

- if  $X \sim N(0, 1)$  and  $Z \sim \chi^2(d)$  are independent then  $\frac{X}{\sqrt{\frac{Z}{d}}}$  is called a Student Law or t-distribution and is noted  $t(d)$

## Theorem: Student Law for Confidence Intervals

Let  $X = (X^1, X^2, \dots, X^n)$  with  $X_i \sim N(m, \sigma^2)$  i.i.d

Let  $\bar{X} = \frac{1}{n} \sum_{i=1}^n X^i$  and  $\hat{\sigma}(X) = \sqrt{\frac{1}{n} \sum_{i=1}^n (X^i - \bar{X})^2}$  then:

- $\bar{X}$  and  $\hat{\sigma}(X)$  are independant
- $\sqrt{n}(\frac{\bar{X}-m}{\sigma}) \sim N(0, 1)$
- $n(\frac{\hat{\sigma}(X)}{\sigma})^2 \sim \chi^2(n-1)$  that we can write as  $\frac{\|X-\bar{X}\|^2}{\sigma^2} \sim \chi^2(n-1)$
- $\frac{\bar{X}-m}{\frac{\hat{\sigma}(X)}{\sqrt{n-1}}} \sim t(n-1)$  that we can write as  $m = \bar{X} - \frac{\hat{\sigma}(X)}{\sqrt{n-1}} t(n-1)$

# Parameter Estimations and Confidence Intervals

Sketch of the proof: we just need to show the result for  $X^i \sim N(0, 1)$  i.i.d

Let  $h : \mathbb{R}^n \rightarrow \mathbb{R}^n \times \mathbb{R}^n$  be defined by  $h : \begin{pmatrix} X^1 \\ \vdots \\ X^n \end{pmatrix} \rightarrow \begin{pmatrix} \bar{X} \\ X - \bar{X}1_n \end{pmatrix}$  then:

- $X$  Gaussian and  $h$  linear  $\Rightarrow h(X)$  is Gaussian
- $\forall i \text{ Cov}(\bar{X}, X^i - \bar{X}) = 0 \Rightarrow \bar{X}$  and  $X - \bar{X}1_n$  are independent because for Gaussian vectors zero covariance means independence
- $\langle X - \bar{X}1_n, 1_n \rangle = 0 \Rightarrow X - \bar{X}1_n \in (\mathbb{R}1_n)^\perp$

Note that  $\forall u \in (\mathbb{R}1_n)^\perp$

$$\begin{aligned} \text{Var}(\langle u, X - \bar{X}1_n \rangle) &= \text{Var}(\langle u, X \rangle - \bar{X} \langle u, 1_n \rangle) \\ &= \text{Var}(\langle u, X \rangle) = u' \text{Var}(X) u = \|u\|^2 \end{aligned}$$

so if we call  $\begin{pmatrix} 0 \\ Z \end{pmatrix}$  the components of  $X - \bar{X}1_n$  in an orthonormal basis of

$\mathbb{R}^n$  whose first vector is in  $\mathbb{R}1_n$  we have  $Z \sim N(0, Id_{\mathbb{R}^{n-1}})$

and so  $\|X - \bar{X}1_n\|_n^2 = \|Z\|_{n-1}^2 \sim \chi^2(n-1)$  Q.E.D.

**Example:** GDAX returns for 2015

- $\bar{X} = 0.02\%$
- $\frac{\hat{\sigma}(X)}{\sqrt{n-1}} = 0.04\%$

So at confidence level 95% the expected daily rate of return is in the interval  $[-0.06\%, 0.09\%]$

**Remarks:**

- $t(n-1)$  is a symmetric distribution
- from  $\frac{\sqrt{n-1}(\bar{X}-m)}{\hat{\sigma}(X)} \sim t(n-1)$  and the law of large numbers we can deduct that  $t(n-1) \xrightarrow{Law} N(0,1)$  (which means that when  $n$  is large the law/shape of a student distribution is very similar to the a normal distribution)

# Utility Functions

## Definition: Utility functions

A utility function is any function  $u : \mathbb{R} \rightarrow \mathbb{R}$  such that  $u$  is continuous, strictly increasing and two times differentiable.

**Remark:** based on the definition  $u$  is invertible

## Definition: Preferred Investment and Risk Premium


If  $X$  and  $Y$  are two random payoffs:

- $X \succ Y$  ( $X$  is preferred to  $Y$  for  $u$ )  $\Leftrightarrow E[u(X)] > E[u(Y)]$

Let  $C_u(X)$  be the constant defined by  $u[C_u(X)] = E[u(X)]$

- $C_u(X)$  is called the certain equivalent to  $X$
- $\Pi^u(X) = E[X] - C_u(X)$  is called the risk premium for  $X$

# Preferred investments



## Properties (exercise)

- $u$  convex  $\Leftrightarrow \forall X, u(E[X]) \leq E[u(X)] \Leftrightarrow \forall X, \Pi^u(X) \leq 0 \Leftrightarrow$  risk taker
- $u$  concave  $\Leftrightarrow \forall X, u(E[X]) \geq E[u(X)] \Leftrightarrow \forall X, \Pi^u(X) \geq 0 \Leftrightarrow$  risk adverse
- $u$  affine  $\Leftrightarrow \forall X, u(E[X]) = E[u(X)] \Leftrightarrow \forall X, \Pi^u(X) = 0 \Leftrightarrow$  risk neutral

## Theorem: Risk Aversion Measure

Let  $u$  and  $v$  be two utility functions strictly concave or convex then:

$$(\forall X \text{ discrete r.v, } \Pi^u(X) \geq \Pi^v(X)) \Leftrightarrow (\forall a, -\frac{u''(a)}{u'(a)} \geq -\frac{v''(a)}{v'(a)})$$

## Remarks:

- $-\frac{u''}{u'}$  defines the risk aversion/concavity of  $u$
- $\forall \lambda \neq 0, \lambda u$  and  $u$  have the same risk aversion
- the concavity measure we arrive at here differs from the geometric definition of curvature which is given by  $\frac{u''}{(1+u'^2)^{3/2}}$

## Demonstration theorem:

Let  $u$  be a utility function two times differentiable and strictly convex or concave (i.e.  $u'' \neq 0$ ).

Demonstration  $\Rightarrow$ :

Let  $X_h^a$  be defined by:  $P(X_h^a = a) = \frac{1}{2}$  and  $P(X_h^a = a + h) = \frac{1}{2}$

Let  $C_u^a(h) = C_u(X_h^a)$  i.e.  $u(C_u^a(h)) = E[u(X_h^a)] = \frac{1}{2}u(a) + \frac{1}{2}u(a + h)$

by derivation on  $h$  of  $u(C_u^a(h)) = \frac{1}{2}u(a) + \frac{1}{2}u(a + h)$  we obtain:

- $C_u^a(0) = a$  from  $u(C_u^a(0)) = \frac{1}{2}u(a) + \frac{1}{2}u(a)$
- $C_u^{a'}(0) = \frac{1}{2}$  from  $u'(C_u^a(0))C_u^{a'}(0) = \frac{1}{2}u'(a)$
- $C_u^{a''}(0) = \frac{1}{4} \frac{u''(a)}{u'(a)}$  from deriving  $u'(C_u^a(h))C_u^{a'}(h) = \frac{1}{2}u'(a + h)$

# Preferred investments

$$\begin{aligned} \text{Now, } \Pi^u \geq \Pi^v &\Rightarrow \forall a, \forall h, \Pi^u(X_h^a) \geq \Pi^v(X_h^a) \\ &\Rightarrow \forall h, E[X] - C_u^a(h) \geq E[X] - C_v^a(h) \\ &\Rightarrow -C_u^{a''}(0) \geq -C_v^{a''}(0) \text{ (as in 0 the value and first derivatives are equal)} \\ &\Rightarrow -\frac{u''(a)}{u'(a)} \geq -\frac{v''(a)}{v'(a)} \text{ (and this is true for all } a\text{). Q.E.D} \end{aligned}$$

Demonstration  $\Leftarrow$

Let  $X$  be a discrete variable with  $P(X = a_i) = p_i$

$$\Pi^u(X) \geq \Pi^v(X) \Leftrightarrow C_v(X) - C_u(X) \geq 0$$

$$\Leftrightarrow v^{-1}[E(v(X))] - u^{-1}[E(u(X))] \geq 0$$

$$\Leftrightarrow v^{-1}\left(\sum_{i=1}^{i=n} p_i v(a_i)\right) - u^{-1}\left(\sum_{i=1}^{i=n} p_i u(a_i)\right) \geq 0$$

$$\Leftrightarrow \sum_{i=1}^{i=n} p_i v(a_i) \geq v \circ u^{-1}\left(\sum_{i=1}^{i=n} p_i u(a_i)\right) \text{ (as } v \text{ is increasing)}$$

which should be true if  $v \circ u^{-1}$  is convex.

# Preferred investments

Let's calculate  $(v \circ u^{-1})''$  to prove that  $v \circ u^{-1}$  is convex

$$(v \circ u^{-1})' = (v' \circ u^{-1})(u^{-1})'$$

$$(v \circ u^{-1})'' = (v'' \circ u^{-1})[(u^{-1})']^2 + (v' \circ u^{-1})(u^{-1})''$$

$$\text{Now, } (u^{-1})' = \frac{1}{u' \circ u^{-1}} \text{ and } \left(\frac{1}{u' \circ u^{-1}}\right)' = -\frac{(u'' \circ u^{-1})(u^{-1})'}{(u' \circ u^{-1})^2} = -\frac{(u'' \circ u^{-1})}{(u' \circ u^{-1})^3}$$

$$\text{so, } (v \circ u^{-1})'' \geq 0 \Leftrightarrow \frac{(v'' \circ u^{-1})}{(u' \circ u^{-1})^2} - (v' \circ u^{-1})\frac{(u'' \circ u^{-1})}{(u' \circ u^{-1})^3} \geq 0$$

$$\Leftrightarrow (v'' \circ u^{-1}) \geq (v' \circ u^{-1})\frac{(u'' \circ u^{-1})}{(u' \circ u^{-1})}$$

$$\Leftrightarrow -\frac{(v'' \circ u^{-1})}{(v' \circ u^{-1})} \leq -\frac{(u'' \circ u^{-1})}{(u' \circ u^{-1})} \text{ Q.E.D as we assumed here } -\frac{v''}{v'} \leq -\frac{u''}{u'}$$

## Remarks:

If there is aversion to risk we use  $u$  concave to modelize

For  $u(a) = 1 - \exp(-\lambda a)$  (which is often used)  $-\frac{u''}{u'} = \lambda$

# Gaussian Laws and Mean Variance Implications

When investing  $W_0$  the utility function criteria picks strategies  $\pi$  which maximizes:  $E[u(W_T^\pi)]$  where  $\frac{W_T^\pi}{W_0} = 1 + R_T^\pi$

If we assume  $R_T^\pi \sim N(m_\pi, \sigma_\pi^2)$  then:  $E[u(W_T^\pi)] = E[u(W_0 + W_0 R_T^\pi)]$   
 $= E[u(W_0 + m_\pi W_0 + \sigma_\pi W_0 Z)]$  with  $Z \sim N(0, 1)$

If we define  $U(m, \sigma) = E[u(W_0 + mW_0 + \sigma W_0 Z)]$  then:

$$\max_{\pi} E[u(W_T^\pi)] = \max_{\pi} U(m_\pi, \sigma_\pi)$$

So in practice the model consists in maximizing  $\max_{\pi} U(m_\pi, \sigma_\pi)$  where  $U$  is derived from a utility function.

**Remarks:** For the DAX, if we assume that we are in an equilibrium where investors are therefore indifferent (when applying their utility functions to the expected returns) between investing into a 1 year zero coupon bond which yields approx 0% or into the DAX, which is expected to return approx  $0.02\% \times 260$ , then the Risk Premium is 5.20%...

# Gaussian Laws and Mean Variance Implications

From now on we will modelize directly with a function  $U$  and we will assume that  $U$  is increasing in  $m$  and decreasing in  $\sigma$  which means that:

- if the investor has the choice between two strategies with the same expected returns he prefers the one with the less variance on the returns
- if the investor has the choice between two strategies with the same variance on the returns he prefers the one with the higher expected returns

In practice an investor will define the level of risks he accepts and based on this will find the efficient portfolio (which maximizes the expected return). Based on this we make the following definition

## Definition: Efficient investment strategy

An investment strategy  $\pi_e$  is efficient iff for all  $\pi$ :

$$E[R^\pi] = E[R^{\pi_e}] \Rightarrow \sigma(R^\pi) \geq \sigma(R^{\pi_e})$$

## Proposition:

$$\pi_e \text{ is a solution of } \begin{cases} \inf_{\pi} \sigma(R^\pi) \\ E[R^\pi] = E[R^{\pi_e}] \end{cases}$$

**Demonstration:** If the solution of the constraint minimization was less than  $\sigma(R^{\pi_e})$  then we could find  $\pi$  such that  $\sigma(R^\pi) < \sigma(R^{\pi_e})$  and  $E[R^\pi] = E[R^{\pi_e}]$  which would be in contradiction with the definition of  $\pi_e$ . QED

## Remarks: Definitions and Geometric interpretation

If we note:

- $\mathcal{E} = \{\pi_e \text{ efficient}\}$  and
- $\mathcal{E}(\sigma, m) = \left\{ \begin{pmatrix} \sigma(R^{\pi_e}) \\ E(R^{\pi_e}) \end{pmatrix}, \pi_e \in \mathcal{E} \right\}$

Then any point  $\begin{pmatrix} \sigma(R^\pi) \\ E(R^\pi) \end{pmatrix}$  is either on or on the right of  $\mathcal{E}(\sigma, m)$

## Markowitz: The mean variance framework

# Notations and Definitions

## We note:

- $S_t^i$ : the value of asset  $i$  at time  $t$ . Here we consider only two periods (0 and  $T$ )
- $q_i$ : the number of shares  $i$  held ( $q_i > 0$ ) or shorted ( $q_i < 0$ ) at time 0
- $R_T^i$  the return of asset  $i$  between 0 and  $T$ , i.e  $R_T^i = \frac{S_T^i}{S_0^i} - 1$
- $R_T = \begin{pmatrix} R_T^1 \\ \vdots \\ R_T^n \end{pmatrix}$  the vector of returns of the  $n$  shares between 0 and  $T$ .

## Definition:

At inception,

An investment portfolio is a portfolio for which  $\sum_{i=1}^{i=n} q_i S_0^i > 0$

A self financing portfolio is a portfolio for which  $\sum_{i=1}^{i=n} q_i S_0^i = 0$

## Theorem and Definition:

If for an investment portfolio we define  $x_0 = \sum_{i=1}^{i=n} q_i S_0^i$  and  $\forall i, \pi_i = \frac{q_i S_0^i}{x_0}$  then :

- $(x_0, \pi_1, \dots, \pi_n)$  defines in a unique way the investment portfolio
- $x_0$  is the initial value of the portfolio
- $\sum_{i=1}^{i=n} \pi_i = 1$
- $\pi_i$  is the percentage of the value of the portfolio invested in asset  $i$  at time 0 and  $(\pi_1, \dots, \pi_n)$  is called the allocation.

## Theorem and Definition:

All self financing portfolios can be represented by a  $(n+1)$ -uplet  $(x_0, \pi_1, \dots, \pi_n)$  such that :

- $\forall i, q_i = \frac{x_0 \pi_i}{S_0^i}$
- $\sum_{i=1}^{i=n} \pi_i = 0$
- $x_0 > 0$

The representation is not unique as  $\forall \lambda > 0$   $(\frac{1}{\lambda}x_0, \lambda\pi_1, \dots, \lambda\pi_n)$  represents the same self financing portfolio as  $(x_0, \pi_1, \dots, \pi_n)$ .

For any chosen representation  $(x_0, \pi_1, \dots, \pi_n)$  of the self financing portfolio,  $x_0$  is called the Notional and  $(\pi_1, \dots, \pi_n)$  the allocation.

# Notations and Definitions

From now on we will describe investment portfolios and self financing

portfolios by pairs  $(x_0, \pi)$  where  $\pi = \begin{pmatrix} \pi_1 \\ \vdots \\ \pi_n \end{pmatrix}$

## Theorem and Definition:

We note  $W_t(x_0, \pi)$  the value at time  $t$  of the portfolio  $(x_0, \pi)$  and we have:

- $W_0(x_0, \pi) = x_0$  for an investment portfolio
- $W_0(x_0, \pi) = 0$  for a self-financing portfolio
- $W_T(x_0, \pi) = \sum_{i=1}^{i=n} x_0 \pi_i \frac{S_T^i}{S_0^i}$  for a portfolio of any type

## Remark:

$\pi^i < 0$  means that the portfolio has a short position in asset  $i$

$S^i$  is called a risky asset iff  $R_T^i$  is not deterministic i.e.  $\text{Var}(R_T^i) \neq 0$

**Example:** when we consider various allocations  $(x_0, \pi)$  between two shares  $S_0^1 = 100$   $S_0^2 = 50$  we get the following table:

| $x_0$ | $\pi_1$ | $\pi_2$ | $q^1$ | $q^2$ | $W_0$ |
|-------|---------|---------|-------|-------|-------|
| 100   | 1       | -1      | 1     | -2    | 0     |
| 1000  | 1       | -1      | 10    | -20   | 0     |
| 100   | 0.5     | 0.5     | 0.5   | 1     | 100   |
| 1000  | 0.5     | 0.5     | 5     | 10    | 1000  |

## Theorem and Definition:

We define the return of a portfolio  $(x_0, \pi)$  as:  $R_T = \frac{W_T(x_0, \pi) - W_0(x_0, \pi)}{x_0}$

- For an investment portfolio this definition corresponds to the definition of the return of an asset
- For a self financing portfolio this quantity equals  $\frac{W_T(x_0, \pi)}{x_0}$

## Proposition

For any investment or self financing portfolio  $(x_0, \pi)$  the return  $R_T$  verifies:

$$R_T = \sum_{i=1}^{i=n} \pi_i R_T^i.$$

As this expression depends only on  $\pi$  and not on  $x_0$  we note it  $R_T^\pi$ .

## Proposition:

For any investment or self-financing portfolio  $(x_0, \pi)$  we have:

- $R_T^\pi = \pi' R_T$
- $E(R_T^\pi) = E(\pi' R_T) = \pi' E[R_T]$
- $Cov(R_T^{\pi_1}, R_T^{\pi_2}) = Cov(\pi_1' R_T, \pi_2' R_T) = \pi_1' Cov[R_T, R_T] \pi_2$

**Exercise:** demonstrate the proposition

**Notations:** from now on we note:

- $\sigma^\pi = \sigma(R_T^\pi)$
- $m^\pi = E(R_T^\pi)$

# Markowitz's Framework

We are going to consider two cases, each based on the existence or not of a risk-free investment strategy:

First case:

There are  $n$  risky assets  $(S^i)_{i \in [1, n]}$  and no risk-free asset.

Second case:

There are  $n$  risky assets  $(S^i)_{i \in [1, n]}$  and one risk-free asset  $S^0$ .

**Remarks:**

In both cases it is natural to assume that the  $R_T^i$  are such as :

- (H1) there is no way to build a risk-free investment portfolio based on the  $(S^i)_{i \in [1, n]}$
- (H2) there is no way to build a risk-free self-financing portfolio (other than the null portfolio) based on the  $(S^i)_{i \in [1, n]}$

## Comments:

The reason why we assume (H1) in the first case is because otherwise we could build a risk-free asset. The reason why we assume (H1) in the second case is because otherwise we could build a second risk-free asset and then:

- either this second risk-free asset has the same return as the risk-free asset and in this case one risky asset could be replicated (and then should be disregarded).
- or this second risk-free asset has a different return from the risk-free asset, in which case there would be some arbitrage opportunities.

The reason why we assume (H2) is because for a risk-free self-financing strategy:

- if the return is different from zero there are some arbitrage opportunities
- if the return is zero one risky asset can be replicated (and then should be disregarded)

## We Note :

- $\Sigma = \text{Cov}[R_T, R_T]$
- $M = E[R_T]$

## Proposition:

(H1) and (H2)  $\implies \Sigma$  is invertible

## Demonstration:

If  $\Sigma$  was not invertible we could find  $\pi \neq 0$  such that  $\pi' \Sigma \pi = 0$  and then there would be two cases:

either  $\pi' 1_n = 0$  in which case we could find a self-financing portfolio made of the risky assets without risk or

$\pi' 1_n \neq 0$  in which case we could find an investment portfolio made of the risky assets without risk.

in both cases this would be in contradiction with either (H1) or (H2).

## Markowitz: Optimization without a risk-free asset

# Optimization without a risk-free asset

From the utility framework and in the context of normal distributions assumptions the efficient investment portfolios  $(x_0, \pi)$  are the solutions of

$$(P) \begin{cases} \min_{\pi} \pi' \Sigma \pi \\ \pi' M = m \text{ where } 1_n \text{ is the vector of } \mathbb{R}^n \text{ with components equal to } 1 \\ \pi' 1_n = 1 \end{cases}$$

We define a new scalar product in  $\mathbb{R}^n$  by  $\langle x, y \rangle_{\Sigma^{-1}} = x' \Sigma^{-1} y$

We can write (P) as

$$(P) \begin{cases} \min_{\pi} \langle \Sigma \pi, \Sigma \pi \rangle_{\Sigma^{-1}} \\ \langle \Sigma \pi, M \rangle_{\Sigma^{-1}} = m \\ \langle \Sigma \pi, 1_n \rangle_{\Sigma^{-1}} = 1 \end{cases}$$

(P) can be solved either by writing its Lagrangien or geometrically by noticing that  $\Sigma \pi$  must be in  $\text{Vect}(M, 1_n)$  in order to minimize its  $\langle, \rangle_{\Sigma^{-1}}$  norm while satisfying the constraints. We note  $\mathcal{F}$  all the investment portfolios solutions of (P) for any possible value of  $m$ .

## We note:

- $a = \langle 1_n, 1_n \rangle_{\Sigma^{-1}}$  and
- $b = \langle M, 1_n \rangle_{\Sigma^{-1}}$

Excluding for now the case  $M - \frac{b}{a}1_n = 0$  and noticing that  $\langle M - \frac{b}{a}1_n, 1_n \rangle_{\Sigma^{-1}} = 0$  we get that  $M - \frac{b}{a}1_n$  and  $1_n$  form an orthogonal basis of  $\text{Vect}(M, 1_n)$ . So we can write:

$$\Sigma \pi_e = \lambda 1_n + \nu (M - \frac{b}{a}1_n) \text{ or } \pi_e = \lambda \Sigma^{-1} 1_n + \nu \Sigma^{-1} (M - \frac{b}{a}1_n)$$

We can now renormalize this decomposition.

## We note:

- $\pi_a = \frac{1}{a} \Sigma^{-1} 1_n$  which satisfies  $\pi_a' 1_n = 1$  and
- $\omega_{a,b} = \frac{\Sigma^{-1} (M - \frac{b}{a}1_n)}{\|M - \frac{b}{a}1_n\|_{\Sigma^{-1}}}$  which satisfies  $\omega_{a,b}' 1_n = 0$  and  $\text{var}[R_T^{\omega_{a,b}}] = 1$

## Proposition

- $\pi_a' \mathbf{1}_n = 1$  (so  $\pi_a$  is an investment portfolio).
- $m^{\pi_a} = \frac{b}{a}$
- $\sigma^{\pi_a} = \frac{1}{\sqrt{a}}$
- $\omega_{a,b}' \mathbf{1}_n = 0$  (so  $\omega_{a,b}$  is a self-financing portfolio).
- $m^{\omega_{a,b}} = \|M - \frac{b}{a} \mathbf{1}_n\|_{\Sigma^{-1}}$
- $\sigma^{\omega_{a,b}} = 1$
- $\text{cov}(R^{\pi_a}, R^{\omega_{a,b}}) = 0$

## Demonstration:

$$\pi'_a \mathbf{1}_n = \mathbf{1}'_n \pi_a = \frac{1}{a} \mathbf{1}'_n \Sigma^{-1} \mathbf{1}_n = 1$$

$$m^{\pi_a} = M' \pi_a = \frac{1}{a} M' \Sigma^{-1} \mathbf{1}_n = \frac{b}{a}$$

$$\sigma^{\pi_a} = [\pi'_a \Sigma \pi_a]^{\frac{1}{2}} = \left[ \frac{1}{a^2} \mathbf{1}'_n \Sigma^{-1} \Sigma \Sigma^{-1} \mathbf{1}_n \right]^{\frac{1}{2}} = \left[ \frac{a}{a^2} \right]^{\frac{1}{2}} = \frac{1}{\sqrt{a}}$$

$$\omega'_{a,b} \mathbf{1}_n = \frac{1}{\|M - \frac{b}{a} \mathbf{1}_n\|_{\Sigma^{-1}}} \mathbf{1}'_n \Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n) = 0$$

$$m^{\omega_{a,b}} = M' \omega_{a,b} = M' \frac{\Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n)}{\|M - \frac{b}{a} \mathbf{1}_n\|_{\Sigma^{-1}}}$$

using  $\mathbf{1}'_n \Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n) = 0$  we get:

$$M' \Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n) = (M - \frac{b}{a} \mathbf{1}_n)' \Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n) \text{ and so}$$

$$m^{\omega_{a,b}} = \frac{\|M - \frac{b}{a} \mathbf{1}_n\|_{\Sigma^{-1}}^2}{\|M - \frac{b}{a} \mathbf{1}_n\|_{\Sigma^{-1}}} = \|M - \frac{b}{a} \mathbf{1}_n\|_{\Sigma^{-1}}$$

$$(\sigma^{\omega_{a,b}})^2 = \frac{1}{\|M - \frac{b}{a} \mathbf{1}_n\|_{\Sigma^{-1}}^2} (M - \frac{b}{a} \mathbf{1}_n)' \Sigma^{-1} \Sigma \Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n) = 1$$

$$\text{cov}(R^{\pi_a}, R^{\omega_{a,b}}) = \frac{1}{a} \mathbf{1}'_n \Sigma^{-1} \Sigma \Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n) \frac{1}{\|M - \frac{b}{a} \mathbf{1}_n\|_{\Sigma^{-1}}^2} = 0 \text{ Q.E.D}$$

## Proposition

- a)  $\mathcal{F} = \{\pi_a + \lambda\omega_{a,b}, \lambda \in \mathbb{R}\}$
- b)  $R^{\pi_a + \lambda\omega_{a,b}} = R^{\pi_a} + \lambda R^{\omega_{a,b}}$
- c)  $m^{\pi_a + \lambda\omega_{a,b}} = m^{\pi_a} + \lambda m^{\omega_{a,b}}$
- d)  $(\sigma^{\pi_a + \lambda\omega_{a,b}})^2 = (\sigma^{\pi_a})^2 + \lambda^2$
- e)  $\min_{\pi \in \mathcal{F}} \sigma^\pi = \sigma^{\pi_a}$

## Demonstration:

a) We know that a solution of  $(P)$  is of the form  $\alpha\pi_a + \beta\omega_{a,b}$  as it must be in  $\text{Vect}(\pi_a, \omega_{a,b})$ . The condition  $\pi' \mathbf{1}_n = 1$  implies  $\alpha\pi_a' \mathbf{1}_n = 1$  which implies  $\alpha = 1$ . So the solutions of  $(P)$  are all of the forms  $\pi_a + \lambda\omega_{a,b}$ . Reciprocally the investment portfolio  $\pi_a + \lambda\omega_{a,b}$  is the solution of  $(P)$  for  $m = m^{\pi_a} + \lambda m^{\omega_{a,b}}$ .

b)  $R^{\pi_a + \lambda \omega_{a,b}} = (\pi_a + \lambda \omega_{a,b})' R_T = \pi_a' R_T + \lambda \omega_{a,b}' R_T = R^{\pi_a} + \lambda R^{\omega_{a,b}}$ .  
Q.E.D

c) by definition  $m^{\pi_a + \lambda \omega_{a,b}} = E[R^{\pi_a + \lambda \omega_{a,b}}]$  so c) is derived from b) by taking expectations on both side of equality b).

d) by definition  $(\sigma^{\pi_a + \lambda \omega_{a,b}})^2 = \text{Var}[R^{\pi_a + \lambda \omega_{a,b}}]$  and according to b) this quantity equals  $\text{Var}[R^{\pi_a} + \lambda R^{\omega_{a,b}}]$ . As the covariance between these two variables is zero, the expression is  $\text{Var}[R^{\pi_a}] + \lambda^2 \text{Var}[R^{\omega_{a,b}}]$  and as seen previously  $\text{Var}[R^{\omega_{a,b}}] = 1$ . Q.E.D

e) this results from d)

## Corollary

If  $\pi_e \in \mathcal{F}$

- $\pi_e = \pi_a + \frac{m^{\pi_e} - m^{\pi_a}}{m^{\omega_{a,b}}} \omega_{a,b}$
- $(\sigma^{\pi_e})^2 = (\sigma^{\pi_a})^2 + \left(\frac{m^{\pi_e} - m^{\pi_a}}{m^{\omega_{a,b}}}\right)^2$
- $m^{\pi_e} = m^{\pi_a} + m^{\omega_{a,b}} \sqrt{(\sigma^{\pi_e})^2 - (\sigma^{\pi_a})^2}$  if  $m^{\pi_e} > m^{\pi_a}$
- $m^{\pi_e} = m^{\pi_a} - m^{\omega_{a,b}} \sqrt{(\sigma^{\pi_e})^2 - (\sigma^{\pi_a})^2}$  if  $m^{\pi_e} < m^{\pi_a}$

## Demonstration:

Trivial when writing  $\pi_e$  as  $\pi_a + \lambda \omega_{a,b}$  and eliminating  $\lambda$  between the equations.

# Optimization without a risk-free asset

## Remarks:

- The frontier  $\mathcal{F}(\sigma, m)$  is an hyperbole
- For all assets and investment portfolios:  $(\sigma, m)$  is on or inside the hyperbole
- Geometrically: the line  $y = a + bx$  is above the hyperbole  $y = a + b\sqrt{x^2 - 1}$  and is "asymptotically tangent" as:
  - $a + bx - (a + b\sqrt{x^2 - 1}) \xrightarrow{x \rightarrow \infty} 0$  (points of the curves converging) and
  - $b / [b \frac{x}{\sqrt{x^2 - 1}}] \xrightarrow{x \rightarrow \infty} 1$  (slopes of the curves converging)

## Definitions:

We note:

- $\mathcal{F}^+ = \{\pi_a + \lambda \omega_{a,b}, \lambda \geq 0\}$
- $\mathcal{F}^- = \{\pi_a + \lambda \omega_{a,b}, \lambda \leq 0\}$
- $\mathcal{F}^+(\sigma, m) = \{(\sigma^\pi, m^\pi), \pi \in \mathcal{F}^+\}$  and call it the Efficient Frontier
- $\mathcal{F}^-(\sigma, m) = \{(\sigma^\pi, m^\pi), \pi \in \mathcal{F}^-\}$  and call it the Inefficient Frontier

## Two Funds Theorem:

All the efficient portfolios can be built from two fixed distinct efficient investment portfolios  $\pi_1$  and  $\pi_2$ .

For this reason to analyse the efficient frontier we just need to analyse a model based on two risky assets!

### Demonstration:

Let  $\pi_1 = \pi_a + \lambda_1 \omega_{a,b}$  and  $\pi_2 = \pi_a + \lambda_2 \omega_{a,b}$  be distinct on  $\mathcal{F}$

Let  $\pi = \pi_a + \lambda \omega_{a,b}$  be on  $\mathcal{F}$ .

For any  $\alpha \in \mathbb{R}$ ,  $\alpha \pi_1 + (1 - \alpha) \pi_2$  is an investment portfolio (as  $\alpha \pi_1' \mathbf{1}_n + (1 - \alpha) \pi_2' \mathbf{1}_n = 1$ ) and if we choose  $\alpha = \frac{\lambda - \lambda_2}{\lambda_1 - \lambda_2}$  we get  $\alpha \pi_1 + (1 - \alpha) \pi_2 = \pi_a + \lambda \omega_{a,b} = \pi$ . Q.E.D

## Exercise 1:

We consider 2 risky assets  $S^1, S^2$ :

- $m_1 = 5\%, \sigma_1 = 15\%$
- $m_2 = 20\%, \sigma_2 = 30\%$

We note  $\rho$  the correlation between  $R^1$  and  $R^2$ .

a) Plot  $\mathcal{F}$  for:  $\rho = -1, \rho = 0, \rho = 0.5, \rho = 1$ .


b) What is the portfolio of minimum standard deviation in each case?

If we consider the portfolio  $\pi_\alpha = \alpha\pi_1 + (1 - \alpha)\pi_2$

c) In which region of  $\mathcal{F}(\sigma, m)$  is  $(\sigma^{\pi_\alpha}, m^{\pi_\alpha})$  in the following cases:


- $\alpha < 0$
- $0 \leq \alpha \leq 1$
- $\alpha > 1$

# Optimization without a risk-free asset




Note that  $\Sigma$  is not invertible here and a risk-free asset can be constructed

# Optimization without a risk-free asset



Note that  $\Sigma$  is invertible here and we obtain the "usual" hyperbole

# Optimization without a risk-free asset



Note that  $\Sigma$  is not invertible here and a risk-free asset can be constructed

## Proposition:

$$\mathcal{F} = \left\{ \frac{1}{b-ma} \Sigma^{-1} (M - m\mathbf{1}_n), m \neq \frac{b}{a} \right\} \cup \left\{ \frac{1}{a} \Sigma^{-1} \mathbf{1}_n \right\}$$

## Demonstration:

We know that  $\mathcal{F} = \left\{ \frac{1}{a} \Sigma^{-1} \mathbf{1}_n + \lambda \Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n), \lambda \in \mathbb{R} \right\}$


for  $\lambda = 0$  we obtain the portfolio  $\frac{1}{a} \Sigma^{-1} \mathbf{1}_n$

for  $\lambda \neq 0$  we can write  $\lambda$  in the form  $\lambda = \frac{1}{b-ma}$  and by doing so we obtain

$$\begin{aligned} & \frac{1}{a} \Sigma^{-1} \mathbf{1}_n + \frac{1}{b-ma} \Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n) \\ &= \frac{1}{b-ma} \Sigma^{-1} (M - m\mathbf{1}_n) + \frac{1}{b-ma} \Sigma^{-1} (m - \frac{b}{a}) \mathbf{1}_n + \frac{1}{a} \Sigma^{-1} \mathbf{1}_n \\ &= \frac{1}{b-ma} \Sigma^{-1} (M - m\mathbf{1}_n) + \frac{1}{b-ma} \Sigma^{-1} (am - b) \frac{1}{a} \mathbf{1}_n + \frac{1}{a} \Sigma^{-1} \mathbf{1}_n \\ &= \frac{1}{b-ma} \Sigma^{-1} (M - m\mathbf{1}_n) \text{ Q.E.D} \end{aligned}$$

**Remarks:** We will demonstrate later that the parameter  $m$  can be interpreted geometrically, by showing that the tangent to  $\mathcal{F}$  at point  $(\sigma, m)$  intersects the axe  $\{\sigma = 0\}$  at point  $(0, m)$ .

# Optimization without a risk-free asset



case where  $m^{\omega_{a,b}} > 0$

**Remarks:** We have assumed so far that  $M - \frac{b}{a}1_n \neq 0$ . We analyse here what would happen if this was not the case.

If  $M - \frac{b}{a}1_n = 0$  then all portfolios would have the same returns equal to  $\frac{b}{a}$ . In this case (P) would be a problem of minimizing, for an investment portfolio, the standard deviation of the return, i.e to solve:

$$(P) \begin{cases} \min_{\pi} \langle \Sigma \pi, \Sigma \pi \rangle_{\Sigma^{-1}} \\ \langle \Sigma \pi, 1_n \rangle_{\Sigma^{-1}} = 1 \end{cases}$$

As previously, geometrically we see that the solution should verify  $\Sigma \pi_e \in \text{Vect}(1_n)$ , so  $\pi_e = \lambda \Sigma^{-1} 1_n$ . The only  $\pi_e$  of this form satisfying  $(\pi_e)' 1_n = 1$  is  $\pi_e = \frac{1}{a} \Sigma^{-1} 1_n$

## Markowitz: Opimization with a risk-free asset

# Optimization with a risk-free asset

We note  $\Pi = \begin{pmatrix} \pi^0 \\ \pi \end{pmatrix}$  the allocation between the risk-free asset and the  $n$  risky assets.

We note  $\Pi_0 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$  the risk-free asset of return  $r_0$ .

For any investment portfolios  $\Pi$  we must have  $\pi^0 + (\pi)' \mathbf{1}_n = 1$ .

Replacing  $\pi^0$  by  $1 - \pi' \mathbf{1}_n$  the problem we have to solve, to find the efficient portfolios, can now be written as:

$$(Q) \begin{cases} \min_{\pi} \pi' \Sigma \pi \\ \pi' M + (1 - \pi' \mathbf{1}_n) r_0 = m \end{cases}$$

Which we can also write as:

$$(Q) \begin{cases} \min_{\pi} \langle \Sigma \pi, \Sigma \pi \rangle_{\Sigma^{-1}} \\ \langle \Sigma \pi, M - r_0 \mathbf{1}_n \rangle_{\Sigma^{-1}} = m - r_0 \end{cases}$$

# Optimization with a risk-free asset

Geometrically, the solution has to be of the form  $\Sigma\pi = \lambda(M - r_0\mathbf{1}_n)$  or equivalently  $\pi = \lambda\Sigma^{-1}(M - r_0\mathbf{1}_n)$ .

Note that  $\mathbf{1}'_n \Sigma^{-1}(M - r_0\mathbf{1}_n) = (b - r_0a)$ .

Until the end of this section we will consider that  $b - r_0a \neq 0$

To renormalize the problem we define:  $\pi_M = \frac{1}{b - r_0a} \Sigma^{-1}(M - r_0\mathbf{1}_n)$

Note that  $\Pi_M = \begin{pmatrix} 0 \\ \pi_M \end{pmatrix}$  is an investment portfolio as  $\pi'_M \mathbf{1}_n = 1$

**Remark :** for any portfolio

$$\Pi_P = \begin{pmatrix} 1 - \pi'_P \mathbf{1}_d \\ \pi_P \end{pmatrix} \implies m_P = \begin{pmatrix} r_o \\ M \end{pmatrix}' \begin{pmatrix} 1 - \pi'_P \mathbf{1}_d \\ \pi_P \end{pmatrix}$$

$$\implies m_P - r_o = \pi'_P (M - r_0 \mathbf{1}_d)$$

## Theorem: Capital Market Line

The portfolios solutions of (Q) are the portfolios:  $\lambda\Pi_M + (1 - \lambda)\Pi_0$  with  $\lambda \in \mathbb{R}$ . We note  $\mathcal{C} = \{\lambda\Pi_M + (1 - \lambda)\Pi_0, \lambda \in \mathbb{R}\}$

## Corollaries and "Market Portfolio"

① The portfolios  $\Pi$  of  $\mathcal{C}$  (i.e the solutions of (Q)) verify:

- $m^\Pi = \lambda m^{\Pi_M} + (1 - \lambda)m^{\Pi_0}$
- $\sigma^\Pi = |\lambda|\sigma^{\Pi_M}$

so their risk parameters  $(\sigma, m)$  are on a cone (i.e  $\mathcal{C}(\sigma, m)$  is a cone).

② All the efficient portfolios are built by allocating money only between  $\Pi_0$  and  $\Pi_M$ . For this reason to study optimal investments we just need to use a model with one single risky asset!

③ CAPM/MEDAF: if all the market participants are allocating efficiently and with the same parameters, then:

- all the risky investments are in  $\Pi^M$  and
- in  $\Pi^M$  the weight in risky asset  $i$  is the % of the total Market Capitalization of risky assets that asset  $i$  represents.

For this reason  $\Pi^M$  should be/is called the (risky) "Market Portfolio".

## Corollaries:

- 1 Usually in the model  $\frac{b}{a} > r_0$  otherwise all the efficient portfolios would short  $\Pi_M$  which practically would not make sense.
- 2 Assuming  $\frac{b}{a} > r_0$  we define:
  - $\mathcal{C}^+ = \{\lambda m^{\Pi_M} + (1 - \lambda)m^{\Pi_0}, \lambda \geq 0\}$  and call it the Cone Efficient Frontier (or Capital Market Line)
  - $\mathcal{C}^- = \{\lambda m^{\Pi_M} + (1 - \lambda)m^{\Pi_0}, \lambda \leq 0\}$  and call it the Cone Inefficient Frontier
  - All the assets and portfolios we can build have their risk parameters  $(\sigma, m)$  within the cone  $\mathcal{C}(\sigma, m)$  and in particular  $\mathcal{F}(\sigma, m)$  is included in  $\mathcal{C}(\sigma, m)$ .

## Demonstration:

Straightforward when writing  $\Pi_e = \lambda \Pi_M + (1 - \lambda) \Pi_0$

## Exercise:

Draw  $\mathcal{F}$  and  $\mathcal{C}$  in a model where there are two risky assets and a risk free asset and see what happens when you are changing the correlation

## Lemma: Tangent Portfolio

The "Market Portfolio"  $\Pi_M$ , which has no allocation in the risk-free asset, is also a solution of the mean/variance optimization problem ( $P$ ) where there was no risk-free asset. So we can write  $\Pi_M \in \mathcal{F}$

### Demonstration:

Geometrically: it is obvious as otherwise there would be some portfolios more efficient (above) than those on the Capital Market Line.

Algebraically:

$$\begin{aligned}\pi_M &= \frac{1}{b-r_0a} \Sigma^{-1} (M - r_0 \mathbf{1}_n) = \frac{1}{b-r_0a} \Sigma^{-1} [(M - \frac{b}{a} \mathbf{1}_n) + (\frac{b}{a} \mathbf{1}_n - r_0 \mathbf{1}_n)] \\ &= \frac{1}{b-r_0a} (\frac{b}{a} - r_0) \Sigma^{-1} \mathbf{1}_n + \Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n) \\ &= \frac{1}{a} \Sigma^{-1} \mathbf{1}_n + \frac{1}{b-r_0a} \Sigma^{-1} (M - \frac{b}{a} \mathbf{1}_n) \\ &= \pi_a + \lambda \omega_{a,b} \text{ which is the form of the portfolios of } \mathcal{F}. \text{ Q.E.D}\end{aligned}$$

Until the end of this section we assume that  $\frac{b}{a} > r_0$

## Theorem: Tangent Portfolio

$\mathcal{C}(\sigma, m)$  is tangent to  $\mathcal{F}(\sigma, m)$  at the point  $(\sigma^{\Pi_M}, m^{\Pi_M})$

### Demonstration:

We know that  $\Pi_M$  is on  $\mathcal{C}$  and that  $\Pi_M$  is on  $\mathcal{F}$ .

Geometrically: If a line and an hyperbole have a contact point either they are tangent on this contact point or they cross each other. The situation where they cross each other is not possible here as it would imply that some portfolios of  $\mathcal{F}$  are more efficient than any portfolios of  $\mathcal{C}$ .

### Remark:

Equivalently, we can say that the tangent to the Efficient Frontier  $\mathcal{F}$  at the point  $\Pi_M$  intersects the  $\sigma = 0$  axis at the point  $\begin{pmatrix} 0 \\ r_0 \end{pmatrix}$

## Corollary: Geometry of the Efficient Frontier


- For any risky efficient investment portfolio  $\pi = \frac{1}{b-ma}\Sigma^{-1}(M - m\mathbf{1}_n)$  of  $\mathcal{F}$ , the tangent to  $\mathcal{F}(\sigma, m)$  at  $(\sigma^\pi, m^\pi)$  intersects the  $\{\sigma = 0\}$  axis at the point  $\begin{pmatrix} 0 \\ m \end{pmatrix}$ .
- For the risky efficient investment portfolio  $\pi = \frac{1}{a}\Sigma^{-1}\mathbf{1}_n$  of  $\mathcal{F}$ , the tangent to  $\mathcal{F}(\sigma, m)$  at  $(\sigma^\pi, m^\pi)$  is parallel to the  $\{\sigma = 0\}$  axis.

These results mean that there is a bijection between  $\mathcal{F} - \{\frac{1}{a}\Sigma^{-1}\mathbf{1}_n\}$  and  $\mathbb{R} - \{\frac{b}{a}\}$  and that is it the tangents to the the  $\mathcal{F}(\sigma, m)$  curve which establish the bijection between the portfolios and their parameters  $m$ .

### Demonstration:

This result for a portfolio of parameter  $m$  corresponds to the result of the preceding corollary when taking  $r_0 = m$ . Q.E.D

# More Geometric Properties



## Security Market Line

## Theorem: Security Market Line

Let  $\Pi_M$  be the Market Portfolio as defined previously

Let  $\Pi_P$  be any investment portfolio composed of the risk-free and risky assets. Then:

- $m_P - r_0 = (m_M - r_0)\rho(R_P, R_M)\frac{\sigma_P}{\sigma_M}$  (SML equation) and
- $R_P - r_0 = (R_M - r_0)\rho(R_P, R_M)\frac{\sigma_P}{\sigma_M} + \epsilon$  with  $\epsilon$  normal independent from  $R_M$  and centered.

## Demonstration:

Let  $\Pi_P$  be an investment portfolio then:

$$\text{cov}(R_M, R_P) = \pi_M' \Sigma \pi_P = \frac{1}{b-r_0a} (M - r_0 \mathbf{1}_n)' \pi_P = \frac{m_P - r_0}{b - r_0 a}$$

If we apply the same calculation to  $\Pi_M$  then:

$$\text{cov}(R_M, R_M) = \frac{m_M - r_0}{b - r_0 a}$$

From this we get:

$$\text{cov}(R_M, R_P) = \frac{m_P - r_0}{m_M - r_0} \text{cov}(R_M, R_M)$$

From which we get :  $m_P - r_0 = (m_M - r_0)\rho(R_M, R_P)\frac{\sigma_P}{\sigma_M}$

We now want to show a relationship for the r.v and not only for their expectations.

$\left( \begin{array}{c} (R_P - r_0) - (R_M - r_0)\rho(R_M, R_P)\frac{\sigma_P}{\sigma_M} \\ R_M \end{array} \right)$  is Gaussian because it is an affine

transformation of the vector of the returns of the risky assets which is assumed to be a Gaussian vector. Thus, to show that the first variable that we call  $\epsilon$  is independent from the second one we just need to show that the covariance is zero.

$$\begin{aligned} \text{Indeed, } \text{cov}(\epsilon, R_M) &= \text{cov}(R_P - R_M\rho(R_M, R_P)\frac{\sigma_P}{\sigma_M}, R_M) \\ &= \text{cov}(R_P, R_M) - \rho(R_M, R_P)\frac{\sigma_P}{\sigma_M}\text{cov}(R_M, R_M) = 0 \end{aligned}$$

The fact that  $\epsilon$  is centered i.e  $E(\epsilon) = 0$ , results from the previous result.

Q.E.D

## Definition:

The quantity  $\rho(R_M, R_P) \frac{\sigma_P}{\sigma_M}$  is noted  $\beta_M(P)$  and is called the beta of the asset  $\Pi_P$  (in respect to the Market Portfolio  $\Pi_M$ ).

## Remarks:

The equation:  $m_P - r_0 = (m_M - r_0)\beta_M(P)$  (SML)

- is valid for all investment portfolios and not only for efficient ones.
- shows that only the risk correlated with the "Market Portfolio/Market Risk" is remunerated.
- is used in capital budgeting / CAPM to determine the price an asset should have based on its expected returns and beta with the sector.
- the beta can be estimated by statistical regression of the observed excess returns  $R_P - r_0$  over  $R_M - r_0$  over several periods.


## Definition:

When we write  $R_P = r_0 + (R_M - r_0)\beta_M(P) + \epsilon$  we have

$$\sigma_P^2 = \sigma_M^2 \beta_M(P)^2 + \sigma_\epsilon^2$$

- $\sigma_M |\beta_M(P)|$  is called the systematic risk. "Economically", the fact that it is remunerated is explained by the fact that it cannot be "reduced by diversification".
- $\sigma_\epsilon$  is called the idiosyncratic risk or specific risk. "Economically", the fact that it is not remunerated is interpreted as the fact that a risk that can be "reduced by diversification" does not need to be remunerated.

# Security Market Line



We can read on the graph, for any portfolio, the portion of the volatility correlated with the movements of the Market Portfolio.

# Security Market Line and "Arbitrage" Detections

**Remarks:** The  $(\beta, m)$  of the assets we consider investing it according to the SML should be on a line.

- The beta will usually be calculated in relation to a broader index to which these stocks belong
- The expected returns will be based either on some historical estimates or some analysts predictions

In practice, the points will not be perfectly aligned and a regression line will be calculated.

- The assets over the line will look cheap
- The assets below the line will look expensive

In "pair-trading", strategies will be considered consisting in:

- Selling assets lying below the line
- Buying assets lying above the line (usually in the same sector)

**Exercise:** Show that if we consider an investment portfolio  $\Pi_P$  with risk parameters  $(\sigma_P, m_P)$  and if we call in the  $\{(\sigma, m)\}$  plane,  $(x, m_P)$  the intersection of the SML and the line  $\{m = m_P\}$  then  $x = \beta_M(P)\sigma_M$ . Conclude that we can read in the  $\{(\sigma, m)\}$  plane the decomposition between systematic risk and idiosyncratic risk.

## Performance Indicators

## Definition: Sharp Ratio

The Sharpe Ratio of an investment portfolio  $P$  is defined as:  $\frac{m_P - r_0}{\sigma_P}$

### Remarks:

Under the Markowitz's framework:

- The Ratio should be maximal for portfolios belonging to the CML
- All the portfolios belonging to the CML have the same Ratio
- Wealth should be allocated:
  - First by determining a portfolio with the maximum Sharpe Ratio that can be built
  - Then by allocating all the wealth between this portfolio and the risk free asset
- The Sharpe Ratio is independent from the leverage has  $\lambda \Pi_P + (1 - \lambda) \Pi_0$  has the same Sharpe Ratio as  $\Pi_P$  for any  $\lambda > 0$ . So the indicator is really "intrinsic to the fund".
- The Sharpe Ratio is usually estimated by:  $\frac{\hat{m}_P - r_0}{\hat{\sigma}_P}$

**Remarks:** An investor choosing a mutual fund to represent a large portion of his/her wealth should be concerned by the full risk of the fund and should look at the Sharpe Ratio.

**Exercise 1:** Show that the Sharpe Ratio is independent from the leverage

**Exercise 2:** How do you read in a  $\{(\sigma, m)\}$  representation the Sharpe Ratio of a fund as the slope of a particular line?

## Definition: Jensen Index

The Jensen Index of an investment portfolio  $P$  is defined as:

$$m_P - [r_0 + \beta_{M,P}(m_M - r_0)]$$

## Remarks:

Under the Markowitz's framework this quantity should be zero according to the SML

In practice all the portfolios considered for investment are represented in the  $(\beta, m)$  plane where they should form a line (the SML) and where:

- the *beta* are estimated historically
- the expected returns are either historical estimates or analyst predictions

Then a regression line is calculated and the portfolios above the line could be considered for addition to the investment portfolio as:

- their systematic risk is remunerated more than expected
- their idiosyncratic risk should disappear via diversification

## Remarks:

A large pension fund which allocates money amongst many asset managers may assume that the idiosyncratic risk is going to be reduced/cancelled through diversification and in this case may be concerned only by the remuneration of the non diversifiable risk and by the Jensen Index of each Asset Manager's funds.

**Exercise 1:** Show that the Jensen Ratio is dependent on leverage

**Exercise 2:** How do you read in a  $\{(\beta, m)\}$  representation the Jensen Ratio of a fund as the distance above a particular line ?

## Definition: Treynor Index

The Treynor Index of an investment portfolio  $P$  is defined as:  $\frac{m_P - r_0}{\beta_M(P)}$

### Remarks:

Under the Markowitz's framework the Treynor Index should be constant according to the SML.

The Treynor Index is similar to the Jensen index in its objectives to detect funds for which there is an excess of remuneration of the systematic risk.

The excess is usually called the  $\alpha$  !

Compared to the Jensen Index the advantage of the Treynor Index is that it does not depend on leverage and thus is a more intrinsic measure.

### Remarks:

Show that the Treynor Index does not depend on leverage.

# Factor Model

We revisit here the SML equation for risky assets and investment portfolios:  $r^i(t) = r_0 + b^i(r_M(t) - r_0) + \epsilon^i(t)$  because:

- in practice the  $\epsilon^i(t)$  and  $\epsilon^j(t)$  appear to be correlated and to represent a significant portion of the variance of the assets.
- by exhibiting additional factors we aim at identifying better the common sources of risks (even when they may not be remunerated) and to end up with smaller non explained residual specific risks.
- we want to determine the remunerations linked to all sources of risks through a non arbitrage argument.
- we add here the time parameter  $t$  to show, in a times series analysis perspective, which parameters are assumed to be fixed and which ones are supposed to vary with time (on top of their randomness character when time is fixed).

## Definition: K-factors model

For all assets  $i \in \llbracket 1, N \rrbracket$  and for all instants  $t \in \llbracket 1, T \rrbracket$

$$r^i(t) = a^i + \sum_{j=1}^K \beta_j^i f^j(t) + \epsilon^i(t) \text{ or matrixially } R(t) = A + BF(t) + \mathcal{E}(t)$$

with the assumptions that:

$$\forall t \in \llbracket 1, T \rrbracket, \text{Var}(F(t)) \text{ is invertible, } E(\mathcal{E}(t)) = 0 \text{ and } \text{Cov}(F(t), \mathcal{E}(t)) = 0$$

### Remark 1:

If  $(F(t), \mathcal{E}(t))$  is assumed to be a Gaussian vector then  $R(t)$  is a Gaussian vector and we are still in the "Markowitz framework".

## Remark 2:

$$R(t) = \begin{pmatrix} r^1(t) \\ \vdots \\ r^N(t) \end{pmatrix} \quad A = \begin{pmatrix} a^1 \\ \vdots \\ a^N \end{pmatrix} \quad B = \begin{pmatrix} \beta_1^1 & \vdots & \beta_K^1 \\ \vdots & \vdots & \vdots \\ \beta_1^N & \vdots & \beta_K^N \end{pmatrix}$$
$$F(t) = \begin{pmatrix} f^1(t) \\ \vdots \\ f^K(t) \end{pmatrix} \quad \text{and} \quad \mathcal{E}(t) = \begin{pmatrix} \epsilon^1(t) \\ \vdots \\ \epsilon^N(t) \end{pmatrix}$$

**Remark 3:** additional assumptions are often made that

$$E(F(t)) = 0$$

$F(t)$  independent from  $F(t')$  for  $t \neq t'$

$\mathcal{E}(t)$  independent from  $\mathcal{E}(t')$  for  $t \neq t'$

$\mathcal{E}(\cdot)$  independent from  $F(\cdot)$

$Var(\mathcal{E}(t)) = \text{diag}(\sigma_i^2)$  independent from  $t$ .

**Remark 4:**  $\Sigma_F$  is assumed to be symmetric definite positive.

If this was not the case, we could find a vector  $u \neq 0$  such that  $u' \text{Var}[F(t)]u = 0$  which would imply that  $\text{Var}[u'F(t)] = 0$  and  $u'F(t) = \text{Cte}$ . This would imply that some of the factors would be redundant (could be "cointegrated").

**Remark 5:**

$$\begin{aligned}\text{Var}(R(t)) &= \text{cov}(BF(t) + \mathcal{E}(t), BF(t) + \mathcal{E}(t)) \\ &= \text{cov}(BF(t), BF(t)) + \text{cov}(\mathcal{E}(t), \mathcal{E}(t)) \\ &= B\text{cov}(F(t), F(t))B' + \text{diag}(\sigma_i^2) \\ &= B\Sigma_F B' + \text{diag}(\sigma_i^2)\end{aligned}$$

**Remark 7:** If we assume  $(F(t), \mathcal{E}(t))$  Gaussian, then a factor model is a "Markowitz model", where the vector of returns of the risky assets over the period  $[t - 1, t]$  follows a Gaussian law of expectation  $A$  and variance-covariance matrix  $\Sigma = B\Sigma_F B' + \text{diag}(\sigma_i^2)$

**Remark 8:** In the SML approach the tangent portfolio is a particular factor, explaining the expected remuneration, while in a factor analysis the focus is more on identifying the various sources of risks of the assets, which generate the correlations between them.

**Remark 9:** Factor models were introduced by Charles Spearman in 1904 in psychometrics.

**Remark 10:** In financial econometrics, the factors used are either:

- Macroeconomics factors: ex GDP, inflation rate, unemployment rate..etc, in this case the  $F(t)$  are "exogene" i.e given and observable.
- Fundamental factors: ex market cap, leverage, book/price ...etc which are as well exogene.
- Statistical factors: in this case the  $F(t)$  are "endogene" / hidden factors of the model and the aim is to determine these  $F(t)$  as well as the corresponding sensibilities (i.e  $B$ ). In this approach the factors can be interpreted as returns of some investments and self financing portfolios which are not correlated.

## Numerical Example:

Consider the 3 factors model  $R = A + BF + \mathcal{E}$  with 3 risky assets where:

$$E(R) = \begin{pmatrix} 5\% \\ 4\% \\ 6\% \end{pmatrix}, B = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 1 & 0 & 1 \end{pmatrix} \text{ and } P = \begin{pmatrix} 100\% & 0 & 50\% \\ 0 & 100\% & 0 \\ 50\% & 0 & 100\% \end{pmatrix}$$

is the matrix of correlations for the factors and where:

- $\sigma(f_1) = 15\%$ ,  $\sigma(f_2) = 10\%$ ,  $\sigma(f_3) = 10\%$  are the standard deviations of the factors
- $(F, \mathcal{E})$  is Gaussian with  $Cov(F, \mathcal{E}) = 0$  and  $Var(\mathcal{E})$  diagonal
- $\sigma(\epsilon_1) = 5\%$ ,  $\sigma(\epsilon_2) = 5\%$ ,  $\sigma(\epsilon_3) = 5\%$  are the standard deviations of the specific risks
- there is a risk free asset with  $r_0 = 2\%$

After calculating the law of  $R$  and applying Markowitz's results we find that:

# Factor Model - Example

a) the investment portfolio of minimum variance  $\pi_a$  verifies:

$$E(R_{\pi_a}) = 3.84\% \text{ and } \sigma(R_{\pi_a}) = 10.69\%$$

b) the tangent portfolio verifies  $\pi_T$  verifies:

$$\pi_T = \begin{pmatrix} 0.684 \\ 0.353 \\ -0.037 \end{pmatrix} \text{ with } E(R_{\pi_T}) = 4.61\% \text{ and } \sigma(R_{\pi_T}) = 12.74\%$$

$$c) R_{\pi_T} = 0.046 + 0.647F_1 + 0.353F_2 - 0.037F_3 + 0.684\epsilon_1 + 0.353\epsilon_2 - 0.037\epsilon_3$$

d) from c) we can derive the  $\beta$  of the three risky assets to the tangent portfolio and find:  $\beta_T(1) = 1.15$ ,  $\beta_T(2) = 0.77$ ,  $\beta_T(3) = 1.53$

e) we can verify that for the three assets the SML is satisfied as:

$$5\% = 2\% + 1.15 \times (4.6\% - 2\%)$$

$$4\% = 2\% + 0.77 \times (4.6\% - 2\%)$$

$$6\% = 2\% + 1.53 \times (4.6\% - 2\%)$$

f) the residual  $e_i$  of the returns of the tree risky assets in the SML model  $r^i = r_0 + \beta_i(r_T - r_0) + e_i$  have a variance-covariance matrix of:

$$\begin{pmatrix} 0.004 & -0.007 & 0.001 \\ -0.007 & 0.013 & -0.002 \\ 0.001 & -0.002 & 0.012 \end{pmatrix}$$

and verify:  $\sigma(e_1) = 5.98\%$ ,  $\sigma(e_2) = 11.39\%$ ,  $\sigma(e_3) = 10.92\%$

As we can see in this example the 3 factors model enables a better explanation of the risks than the (one factor) SML model because:

- in the 3 factors model the residuals risks have lower variances than in the SML model
- in the 3 factors model the residuals are uncorrelated, proving that all common sources of risks have been identified.

## Reminder: Diagonalisation Theorem

If  $\Sigma$  is symmetric definite positive in  $(\mathbb{R}^k, \langle . \rangle)$  we can find  $V_1, V_2, \dots, V_k$  in  $\mathbb{R}^k$  and  $\lambda_1, \lambda_2, \dots, \lambda_k$  strictly positive such that:

- $\Sigma V_i = \lambda_i V_i$
- $\langle V_i, V_j \rangle = \delta_{i,j}$  (orthonormal basis)

Matricially, if we note  $V$  the matrix whose vectors columns are the  $V_i$  then:

- $V' V = Id_k$  (orthonormal basis)
- $V' \Sigma V = \text{diag}(\lambda_i)$
- $\Sigma = \sum_{i=1}^{i=k} \lambda_i V_i V_i'$

Here the  $\lambda_i$  are the eigenvalues of  $\Sigma$  and the  $V_i$  are the eigenvectors.

## Standard Form Theorem (normalization of the factors)

We can re-write the factor model in the form:  $R(t) = A + DH(t) + \mathcal{E}(t)$   
with  $\text{Var}[H(t)] = Id_K$

This form is called the Standard Form of the Factor Model

### Demonstration:

$$\begin{aligned} & A + BF(t) + \mathcal{E}(t) \\ &= A + BVV'F(t) + \mathcal{E}(t) \\ &= A + BV\text{diag}(\sqrt{\lambda_i})\text{diag}\left(\frac{1}{\sqrt{\lambda_i}}\right)V'F(t) + \mathcal{E}(t) \\ &= A + \left(BV\text{diag}(\sqrt{\lambda_i})\right)\left(\text{diag}\left(\frac{1}{\sqrt{\lambda_i}}\right)V'F(t)\right) + \mathcal{E}(t) = A + DH(t) + \mathcal{E}(t) \end{aligned}$$

with  $D = BV\text{diag}(\sqrt{\lambda_i})$  and  $H(t) = \text{diag}\left(\frac{1}{\sqrt{\lambda_i}}\right)V'F(t)$

Now,  $\text{Var}[H(t)] = \text{diag}\left(\frac{1}{\sqrt{\lambda_i}}\right)\text{Var}[V'F(t)]\text{diag}\left(\frac{1}{\sqrt{\lambda_i}}\right)$  and

$$\text{Var}[V'F(t)] = V'\Sigma_F V = \text{diag}(\lambda_i)$$

so  $\text{Var}[H(t)] = \text{diag}\left(\frac{1}{\sqrt{\lambda_i}}\right)\text{diag}(\lambda_i)\text{diag}\left(\frac{1}{\sqrt{\lambda_i}}\right) = Id_K$ . Q.E.D

Exercise: Prove the previous result by writing

$$R(t) = A + B \left( \sum_{j=1}^{j=k} \left\langle F(t), \frac{u_j}{\sqrt{\lambda_j}} \right\rangle \sqrt{\lambda_j} u_j \right) + \mathcal{E}(t)$$

## Definition: Absence of Arbitrage Opportunity

There is no **Arbitrage Opportunity** in a model if and only if:

- all investment portfolios with no risk have the same return
- all self financing portfolios with no risk have a return of zero

## Proposition

If a model is such that :

- there is only one risk free investment rate
- the vector of return  $R$  for the risky assets satisfies:  $\text{Var}(R)$  invertible

Then, there is no **Arbitrage Opportunity** in the model

## Remark :

In fact,

- All self financing portfolios with no risk have a return of zero implies
- All investment portfolios with no risk have the same return.

So,

the AOA conditions can be reduced to:

- All self financing portfolios with no risk have a return of zero

## Definition: Asset Pricing Theory conditions

Let  $r^i(t) = a^i + \sum_{j=1}^{j=K} b_j^i f^j(t) + \epsilon^i(t)$  ( $i \in \llbracket 1, N \rrbracket$ ) or in matrix terms

$R(t) = A + BF(t) + \mathcal{E}(t)$  be a  $K$ -factors model with

- $K < N$
- $E(\mathcal{E}(t)) = 0$ ,  $Var(F(t))$  invertible and  $Cov(F(t), \mathcal{E}(t)) = 0$

The **APT conditions** are said to be satisfied if and only if:

There is no **Arbitrage Opportunity** in the reduced model

$R(t) = A + BF(t)$  (where the "diversifiable" risk  $\mathcal{E}(t)$  is neglected)

If the APT conditions are satisfied we say that the model is an **APT Model**

## APT Theorem

The APT conditions are satisfied if and only if:

$$\exists \lambda^0, \lambda^1, \lambda^2, \dots, \lambda^K \text{ such that } E(R) = \lambda^0 \begin{pmatrix} 1 \\ \vdots \\ 1 \end{pmatrix} + B \begin{pmatrix} \lambda^1 \\ \vdots \\ \lambda^K \end{pmatrix}$$

that we can also note as

$$E(R) = \lambda^0 1_N + B\lambda \quad (1)$$

Also, assuming that the decomposition (1) is valid then:

- If it is possible to build a risk-free investment portfolio in the reduced model then,  $\lambda^0$  is this risk-free rate
- If it is not possible to build a risk-free investment portfolio in the reduced model then, the decomposition (1) is not unique and we can take  $\lambda^0 = 0$ .

**Remark 1:** If there is a risk free rate  $r^0$  in the economy and a risk free investment portfolio in the reduced model then usually it is expected that  $\lambda^0 = r^0$

**Remark 2:**

As  $K < N$  it is possible to build in the reduced model a risk-free portfolio by choosing  $\pi \neq 0$  such that  $\pi' B = 0$

a) If we can find such  $\pi$  such that  $\pi' 1_N \neq 0$  we are able to build a risk-free investment portfolio

b) If for all such  $\pi$ ,  $\pi' 1_N = 0$  we are only able to build risk-free self financing portfolios

## Lemma 1

Let us define  $\lambda_0$  by:

- $\lambda_0 = 0$  if there is no risk-free investment portfolio in the reduced model
- $\lambda_0$  is the risk-free rate of the risk-free investment portfolios if such portfolios exist in the reduced model

Then, if there is no arbitrage in the reduced model we have:

$$\forall \pi \in \mathbb{R}^N \quad \pi' B = [0, 0, \dots, 0] \implies \pi' (A - \lambda^0 1_N) = 0$$

### Demonstration Lemma 1:

Let  $\pi \in \mathbb{R}^N \setminus \{0\}$  be such that  $\pi' B = [0, 0, \dots, 0]$ .  $((\text{vect} B)^\perp)$  is of dimension  $N - K$ .

- if  $\pi' 1_N \neq 0$  then  $\tilde{\pi} = \frac{\pi}{\pi' 1_N}$  is an investment portfolio which is without risk in the reduced model as  $R^{\tilde{\pi}} = \tilde{\pi}' A + \tilde{\pi}' B F = \tilde{\pi}' A$

# Factor Model - APT Theorem

therefore as there is no Arbitrage Opportunity in the reduced model we should have  $\tilde{\pi}'A = \lambda^0$  and thus  $\tilde{\pi}'(A - \lambda^0 1_N) = 0$  and  $\pi'(A - \lambda^0 1_N) = 0$

- if  $\pi'1_N = 0$  then  $\pi$  is a self-financing portfolio without risk which should therefore satisfy  $\pi'A = 0$  and also if  $\lambda^0$  is defined  $\pi'(A - \lambda^0 1_N) = 0$  as  $\pi'1_N = 0$

So in all cases:

$$\pi'B = [0, 0, \dots, 0] \implies \pi'(A - \lambda^0 1_N) = 0 \text{ Q.E.D.}$$

## Lemma 2:

If  $\forall \pi \in \mathbb{R}^N \pi'B = [0, 0, \dots, 0]$  (1)  $\implies \pi'(A - \lambda^0 1_N) = 0$  (2)

then  $\exists \mu^1, \mu^2, \dots, \mu^K, A - \lambda^0 1_N = \sum_{i=1}^{i=K} \mu^i b_i$

## Demonstration Lemma 2:

Let us note  $B = [b_1, b_2, \dots, b_K]$  and  $\text{Vect}\{b_1, b_2, \dots, b_K\}$  the vector space generated by  $b_1, b_2, \dots, b_K$ .

$$(1) \iff \text{Vect}\{b_1, b_2, \dots, b_K\}^\perp \subset \text{Vect}\{A - \lambda^0 1_N\}^\perp$$

$$\implies \text{Vect}\{A - \lambda^0 1_N\} \subset \text{Vect}\{b_1, b_2, \dots, b_K\}$$

$$\implies A - \lambda^0 1_N \in \text{Vect}\{b_1, b_2, \dots, b_K\}$$

This proves Lemma 2.

## Demonstration APT Theorem: (First implication)

According to Lemma 1 and 2 the AOA in the reduced model implies that

$A = \lambda^0 + B\mu$ . Therefore as  $E(R) = A + BE(F)$  we get

$$E(R) = \lambda^0 + B\mu + BE(F) = \lambda^0 + B\lambda \text{ if we define } \lambda \text{ by } \lambda = \mu + E(F)$$

Q.E.D

(second implication)

We assume now that  $\exists \lambda^0, \lambda$  such that  $E(R) = \lambda^0 \mathbf{1}_N + B\lambda$  and want to prove that the AOA conditions are satisfied in the reduced model.

So, let  $\pi$  be a portfolio without risk in the reduced model

- $\pi$  investment portfolio without risk in the reduced model  
 $\implies \pi' B = 0 \implies E(R_\pi) = \pi' E(R) = \lambda^0 \pi' \mathbf{1}_N = \lambda^0$   
so the first AOA condition that all risk free investment portfolios have the same return is satisfied
  - $\pi$  self financing portfolio without risk in the reduced model  
 $\implies \pi' B = 0 \implies E(R_\pi) = \pi' E(R) = \lambda^0 \pi' \mathbf{1}_N = 0$   
so the second AOA condition that all risk free self financing portfolios have a return of zero is satisfied
- This finishes the proof of the APT theorem

## Numerical Example :

We consider the 2 factor model  $R = A + BF + \mathcal{E}$  with 3 assets where:

$$E(R) = \begin{pmatrix} 5\% \\ 8\% \\ 5\% \end{pmatrix} \text{ and } B = \begin{pmatrix} 1 & 0 \\ 0 & 1 \\ \frac{1}{3} & \frac{1}{3} \end{pmatrix} \text{ with } E(\mathcal{E}) = 0 \text{ and } \text{cov}(F, \mathcal{E}) = 0 \text{ and}$$

$\text{Var}(F)$  invertible.

According to the Fundamental APT theorem there is no arbitrage in the reduced model i.i.f we can find  $\lambda^0, \lambda^1, \lambda^2$  such that:

$$\begin{cases} 5\% = \lambda^0 + \lambda^1 \\ 8\% = \lambda^0 + \lambda^2 \\ 5\% = \lambda^0 + \frac{1}{3}\lambda^1 + \frac{1}{3}\lambda^2 \end{cases}$$

Indeed we find a unique solution  $\lambda^0 = 2\%, \lambda^1 = 3\%, \lambda^2 = 6\%$

In the reduced Model  $\pi = (-1, -1, 3)'$  is an investment portfolio without risk and when we calculate its expected return based on its components we find  $-5\% - 8\% + 15\% = 2\%$  which is consistent with  $\lambda^0 = 2\%$

## Proposition

The two following propositions are equivalent

- there is no risk free investment portfolio in the reduced model
$$R = A + BF \quad (1)$$
- $\text{Vect}\{b_1, b_2, \dots, b_K\} = \text{Vect}\{1_N, b_1, b_2, \dots, b_K\} \quad (2)$

## Demonstration:

$$(1) \iff (x'B = 0 \implies x'1_N = 0)$$

$$\iff \text{Vect}\{b_1, b_2, \dots, b_K\}^\perp \subset \text{Vect}\{1_N\}^\perp$$

$$\iff \text{Vect}\{1_N\} \subset \text{Vect}\{b_1, b_2, \dots, b_K\}$$

$$\iff (2) \text{ Q.E.D}$$

**Remark:** the proposition above shows that when the APT conditions are satisfied and that there is no risk free investment portfolio in the reduced economy we can take in fact any value for  $\lambda_0$  (and not only the value zero)

## Remark 1: Unicity of the decomposition of a $K$ -factor model

The equation  $R = A + BF + \mathcal{E}$  where  $F$  is given with  $\Sigma_F$  invertible  $E(\mathcal{E}) = 0$  and  $Cov(F, \mathcal{E}) = 0$  defines  $A$  and  $B$  in a unique way by  $B = Cov(R, F)\Sigma_F^{-1}$  and  $A = E(R) - BE(F)$

## Proposition: Standard Form of an APT model

According to the APT theorem any APT model can be written in the standard form:  $R = \lambda^0 \mathbf{1}_N + BG + \mathcal{E}$  where  $Var(G)$  is invertible,  $E(\mathcal{E}) = 0$  and  $cov(G, \mathcal{E}) = 0$

**Demonstration:**  $R = A + BF + \mathcal{E}$  with  $E(R) = \lambda_0 \mathbf{1}_N + B\lambda$  implies that  $A + BE(F) = \lambda_0 \mathbf{1}_N + B\lambda \implies R = \lambda_0 \mathbf{1}_N + B(\lambda - E(F)) + BF + \mathcal{E} \implies R = \lambda_0 \mathbf{1}_N + B(\lambda - E(F) + F) + \mathcal{E}$  Q.E.D.

## Proposition : Alternative Definition of an APT model

Let  $R = A + BF + \mathcal{E}$  be a K-factor model with the assumptions

- $K < N$
- $\text{Var}(F)$  invertible,  $E(\mathcal{E}) = 0$  and  $\text{cov}(F, \mathcal{E}) = 0$

then the two following hypothesis are equivalent:

(H1) there is no arbitrage in the reduced model  $R = A + BF$

(H2)  $\exists \lambda^0$  such that  $\forall \pi$  portfolio  $\text{Cov}(R_\pi, F) = 0 \implies E(R_\pi) = \lambda^0 \pi' 1_N$

**Demonstration:** Let's assume (H2)

It is easy to see (H2)  $\iff$  ( $\tilde{H}2$ ) where

( $\tilde{H}2$ ):  $\exists \lambda^0, \forall x \in \mathbb{R}^N, x' B \Sigma_F = 0 \implies x' E(R) = \lambda^0 x' 1_N$

$\iff \exists \lambda^0, \forall x \in \mathbb{R}^N, x' B = 0 \implies x' (E(R) - \lambda^0 1_N) = 0$

$\iff \exists \lambda^0, \text{Vect}\{b_1, b_2, \dots, b_K\}^\perp \subset \text{Vect}\{E(R) - \lambda^0 1_N\}^\perp$

$\iff \exists \lambda^0, \text{Vect}\{E(R) - \lambda^0 1_N\} \subset \text{Vect}\{b_1, b_2, \dots, b_K\}$

$\iff \exists \lambda^0, \lambda, E(R) - \lambda^0 1_N = B \lambda \iff$  (H1) according to the APT theorem

# Principal Components Analysis

# Principal Components Analysis

Lemma:

Let  $x = \begin{pmatrix} x^1 \\ \dots \\ x^d \end{pmatrix}$  and  $y = \begin{pmatrix} y^1 \\ \dots \\ y^d \end{pmatrix}$  be in  $\mathbb{R}^d$  then  $x'y = Tr(xy')$

**demonstration:** trivial

Proposition:

Let  $Z = \begin{pmatrix} Z^1 \\ \vdots \\ Z^d \end{pmatrix}$  be a random variable in  $\mathbb{R}^d$  then:

$E[\|Z - E[Z]\|^2] = Tr[Var(Z)] = \sum_{i=1}^d \lambda_i$  where  $Tr$  is the trace operator and the  $\lambda_i$  are the eigenvalues of  $Var[Z]$

# Principal Components Analysis

**demonstration:**  $E [\|Z - E[Z]\|^2] = E \left[ (E - E[Z])'(Z - E[Z]) \right]$   
 $= E \left[ \text{Tr} \left( (E - E[Z])(Z - E[Z])' \right) \right] = \text{Tr} \left( E \left[ (Z - E[Z])(Z - E[Z])' \right] \right)$   
 $= \text{Tr} [\text{Var}(Z)]$  Q.E.D

## Definition:

We call  $E [\|Z - E[Z]\|^2]$  the dispersion of  $Z$  and in dimension 1 this definition corresponds to the usual definition of variance.

# Principal Components Analysis

## Proposition:

Let  $Z$  be a random variable in  $\mathbb{R}^d$ ,  $\text{Var}(Z)$  its matrix of variance covariance and  $\lambda_1 \geq \lambda_2 \geq \dots \geq \lambda_n \geq 0$  the eigenvalues of  $\text{Var}(Z)$ . For any  $k \leq d$  let  $\mathcal{B}_k$  the set of all orthonormal families of  $k$  vectors of  $\mathbb{R}^d$ .

Then for any  $k \in [1, d]$ , 
$$\sup_{(x_i)_{i \in [1, k]} \in \mathcal{B}_k} \sum_{i=1}^{i=k} x_i' \text{Var}(Z) x_i = \sum_{i=1}^{i=k} \lambda_i$$

**Demonstration:** We solve the maximization problem,

$$(P) \left\{ \begin{array}{l} \sup_{(x_i)_{i \in [1, k]} \in \mathcal{B}_k} \sum_{i=1}^{i=k} x_i' \text{Var}(Z) x_i \\ \forall i \in \llbracket 1, k \rrbracket, x_i' x_i = 1 \\ \forall i, j \in \llbracket 1, k \rrbracket, i < j \implies x_i' x_j = 0 \end{array} \right.$$

# Principal Components Analysis

The Lagrangian is  $\sum_{i=1}^{i=k} x_i' \text{Var}(Z) x_i - \sum_{i < j} \lambda_{i,j} x_i' x_j - \sum_{i=1}^{i=k} \lambda_{i,i} (x_i' x_i - 1)$

$$\frac{\partial L}{\partial x_i} = 0 \iff 2x_i' \text{Var}(Z) - 2\lambda_{i,i} x_i' - \sum_{j>i} \lambda_{i,j} x_j' = 0$$

$$\iff 2 \text{Var}(Z) x_i = -2\lambda_{i,i} x_i - \sum_{j>i} \lambda_{i,j} x_j.$$

As a consequence  $\text{Var}(Z)V \subset V$  with  $V = \text{vect}\{x_1, \dots, x_k\}$  and if we note  $\text{Var}(Z)|_V$  the restriction of  $\text{Var}(Z)$  to  $V$  we have:

# Principal Components Analysis

(a)  $\text{Var}(Z)|_V$  is symmetric definite positive

(b) the eigenvalues of  $\text{Var}(Z)|_V$  are eigenvalues of  $\text{Var}(Z)$

(c)  $\sum_{i=1}^{i=k} x_i' \text{Var}(Z) x_i = \sum_{i=1}^{i=k} x_i' \text{Var}(Z)|_V x_i = \text{Trace}(\sum_{i=1}^{i=k} \text{Var}(Z)|_V x_i x_i') = \text{Trace}(\text{Var}(Z)|_V \text{Id}|_V) = \text{Trace}(\text{Var}(Z)|_V)$  and  $\text{Trace}(\text{Var}(Z)|_V)$  is the sum of the  $k$  eigenvalues of  $\text{Var}(Z)|_V$ , which according to (b) is the sum of  $k$  eigenvalues of  $\text{Var}(Z)$  and the sum is maximal if the eigenvalues are the  $k$  largest ones and in this case the sum equals  $\sum_{i=1}^{i=k} \lambda_i$ . Q.E.D.

# Principal Components Analysis

## Corollary:

Let  $H_k$  denote a sub vector space of  $\mathbb{R}^d$  of dimension  $k$  (with  $k \leq d$ )

Let  $\mathcal{H}_k$  be the set of all vector spaces  $H_k$

Let  $p_{H_k}$  be the orthogonal projection on  $H_k$  then:

$$\max_{H_k \in \mathcal{H}_k} E[\|p_{H_k}(Z - EZ)\|^2] = \sum_{i=1}^{i=k} \lambda_i$$

**Demonstration:** Let  $(x_i)$  be an orthonormal basis of  $H_k$  then

$$p_{H_k}(Z - EZ) = \sum_{i=1}^{i=k} x_i' (Z - EZ) x_i \text{ and}$$

$$\|p_{H_k}(Z - EZ)\|^2 = \sum_{i=1}^{i=k} (x_i' (Z - EZ))^2 = \sum_{i=1}^{i=k} x_i' (Z - EZ) (Z - EZ)' x_i \text{ so}$$

$$E[\|p_{H_k}(Z - EZ)\|^2] = \sum_{i=1}^{i=k} x_i' E[(Z - EZ)(Z - EZ)'] x_i = \sum_{i=1}^{i=k} x_i' \text{Var}(Z) x_i$$

So the result follows from the previous proposition.

# Principal Components Analysis

## Exercise 1:

Show that  $\min_{H_k} E[\|p_{H_k}(Z - EZ)\|^2] = \sum_{i=n-k+1}^{i=n} \lambda_i$

## Exercise 2:

Let  $\Phi$  be a scalar product of  $\mathbb{R}^d$ . We use the intrinsic notation  $Z \sim \mathcal{N}(0, \Phi)$ , where  $\Phi$  is a quadratic form to mean that the Gaussian variable  $Z$  has a variance-covariance defined by  $\text{Var}(x'Z) = \Phi(x, x)$ .

Let  $H$  be a sub-space of  $\mathbb{R}^d$  and  $\Phi|_H$  be the restriction of  $\Phi$  to  $H$ .

a) Show that:  $\min \lambda_\Phi \leq \min \lambda_{\Phi|_H} \leq \max \lambda_{\Phi|_H} \leq \max \lambda_\Phi$ .

b) Let  $Z \sim \mathcal{N}(0, \Phi)$  be a Gaussian variable of  $\mathbb{R}^d$ .

Show that  $p_H(Z)$  is a Gaussian variable of  $H$  which verifies  $p_H(Z) \sim \mathcal{N}(0, \Phi|_H)$ .

c) Study the eigenvalues of  $\Phi$  and  $\Phi|_H$ , when  $\text{Mat}(\Phi) = \begin{pmatrix} 1 & 0 \\ 0 & 2 \end{pmatrix}$  and

$H = \text{Vect}(e_1 + e_2)$ .

# Principal Components Analysis - Numerical Example

## Hint:

a)

$$\min \lambda_{\Phi|_H} = \min_{x \in H, \|x\|^2=1} \Phi|_H(x, x) = \min_{x \in H, \|x\|^2=1} \Phi(x, x) \geq \min_{x \in \mathbb{R}^d, \|x\|^2=1} \Phi(x, x)$$

b) Let  $Z \sim \mathcal{N}(0, \Phi)$  in  $\mathbb{R}^d$ .

As  $p_H$  is a linear transformation,  $p_H(Z)$  is Gaussian and

- $E(p_H(Z)) = p_H(E(Z)) = 0$
- $\forall x \in H, \text{Var}(x' p_H(Z)) = \text{Var}(p_H(x)' Z) = \text{Var}(x' Z) = \Phi(x, x) = \Phi|_H(x, x)$

Therefore,  $p_H(Z) \sim \mathcal{N}(0, \Phi|_H)$ , in  $H$ .

c)  $\text{Var}(Z)$  has for eigenvalues 1 and 2 and  $\text{Var}(p_H(Z))$  has for value (eigenvalue)  $\frac{3}{2}$  and as expected  $1 \leq \frac{3}{2} \leq 2$ .

## Numerical Example:


We consider an economy with two risky assets whose returns  $r_1$  and  $r_2$  follow the following one factor model:

$$\begin{pmatrix} r_1 \\ r_2 \end{pmatrix} = \begin{pmatrix} 1 & 0.6 & 0 \\ 1.2 & 0 & 0.6 \end{pmatrix} \begin{pmatrix} f \\ e_1 \\ e_2 \end{pmatrix}$$

with  $f$ ,  $e_1$  and  $e_2$  being independent of variance 1 and expectation zero.

We plot on the graph below the 800 simulations of  $\begin{pmatrix} r_1 \\ r_2 \end{pmatrix}$

# Principal Components Analysis - Numerical Example



in red the axis corresponding to the eigenvector of maximum eigenvalue.

# Principal Components Analysis - Numerical Example




We have the following results:

- the theoretical eigenvalues are 2.80 and 0.36. From our sample and empirical variance-covariance matrix we obtain 3.06 and 0.57
- the theoretical measure of dispersion is 3.16 and from our sample 3.63
- $\begin{pmatrix} 1.20 \\ 1.44 \end{pmatrix}$  and  $\begin{pmatrix} 1.20 \\ -1.00 \end{pmatrix}$  are theoretical eigenvectors
- $\begin{pmatrix} 1.24 \\ 1.25 \end{pmatrix}$  and  $\begin{pmatrix} 1.25 \\ -1.24 \end{pmatrix}$  are empirical eigenvectors
- on the graph the red line corresponds to the axe generated by the sample eigenvector of the highest eigenvalue

# Principal Components Analysis - Numerical Example

We have the following results:

- the green ellipse on the chart represents points for which the density function of the model is constant equal to the value derived for the point  $\begin{pmatrix} 1.20 \\ 1.44 \end{pmatrix}$ .
- the lengths of the axis (in purple) of the ellipse are proportional to the eigenvalues
- when we project the points on the red axis, the dispersion of the points projected is 3.06 which is what we expected, as we have projected on an axe corresponding to the (observed) eigenvalue 3.06.

-  Idris Kharroubi, Imen Ben Tahar (2014, 2013)  
Gestion de Portefeuilles  
*Course Manual University Paris 9 Dauphine*, pp.76
-  David Ruppert (2004)  
Statistics and Finance, an introduction  
*Springer Texts in Statistics*
-  Pierre Brugière (2020)  
Quantitative Portfolio Management, pp.217  
<https://www.springer.com/gp/book/9783030377397>

# The End